參考文獻

[C2.1] Chia-Ming Uang, “On Establishing R (or Rw) and Cd Factors for Building Seismic Provisions,” Journal of Structural Engineering, Vol. 117, No. 1, ASCE, January 1991.

[C2.2] Mario Paz, “Structural Dynamics Theory and Computation,” 1985.

[C2.3] 交通部，『公路橋梁耐震設計規範(草案)』，複審成果報告書，民國九十二年三月。

[C2.4] 『建築物耐震設計規範與解說修正草案』，內政部建築技術審議委員會通過，民國九時二年八月二十九日。

[C2.5] 『道路橋示方書・V 耐震設計編』，2002，日本道路協會。(日文)

[C2.6] 蔡益超、吳宣欣，1998，『中空鋼筋混凝土橋柱之韌性、剪力強度與補強之理論分析(I)』，國家地震工程研究中心。

[C2.7] 蔡益超、劉紹魁，1999，『中空鋼筋混凝土橋柱之韌性、剪力強度與補強之理論分析(II)』，國家地震工程研究中心。

[C2.8] 蔡益超、賴彥魁，2000，『中空鋼筋混凝土橋柱之韌性、剪力強度與補強之理論分析(III)』，國家地震工程研究中心。

[C2.9] 莫詒隆、楊宙燕、粘逸尊，1999，『中空矩形橋柱耐震行為之研究』，國家地震工程研究中心。

[C2.10] 莫詒隆，1998，『中空鋼筋混凝土矩形橋柱之韌性、剪力強度與補強試驗』，國家地震工程研究中心。

[C2.11] 蔡益超、張荻薇、黃震興、周功台、張國鎮、宋裕祺，1997，『公路橋梁耐震設計規範之補充研究』，交通部國道新建工程局。

[C2.12] Federal Highway Administration, “Seismic Design and Retrofit Manual for Highway Bridges,” FHWA-ZP-87-6, May, 1987.

[C2.13] Federal Highway Administration, “Seismic Design of Highway Bridge Foundations,” FHWA/RD-86/102, June 1986.

[C3.1] AASHTO LRFD Bridge Design Specification 4th edition, 2008.

[C3.2] 『道路橋示方書・V 耐震設計編』，2002，日本道路協會。(日文)

[C3.3] AASHTO 2002， “Standard Specifications for Highway Bridges”.

[C3.4] CALTRANS, 1999, *Caltrans Seismic Design Criteria*, Version 1.1, California.

[C3.5] ICBO, 2000, *International Building Code*, 2000 Edition, Whittier, CA.

[C3.6] ATC-32, “Improved Seismic Design Criteria for California Bridges:

Provisional Recommendations," Applied Technology Council, 1996.

[C3.7] 蔡益超、張荻薇、黃震興、周功台、張國鎮、宋裕祺，1997，『公路橋梁耐震設計規範之補充研究』，交通部國道新建工程局。

[C4.1] Provisional Engineering Office of High Speed Rail, Ministry of Transportation and Communications, "Infrastructure Design Criteria," April, 1993.

[C4.2] American Institute of Steel Construction, Manual of Steel Construction - Load and Resistance Factor Design, 1992.

[C4.3] 內政部，『基礎構造設計規範(含解說)』，民國九十年九月。

[C4.4] 蔡益超、張荻薇、黃震興、周功台、張國鎮、宋裕祺，1997，『公路橋梁耐震設計規範之補充研究』，交通部國道新建工程局。

[C4.5] ATC-32, "Improved Seismic Design Criteria for California Bridges: Provisional Recommendations," Applied Technology Council, 1996.

[C5.1] AASHTO 2002， "Standard Specifications for Highway Bridges".

[C5.2] 『道路橋示方書・V 耐震設計編』，2002，日本道路協會。(日文)

[C5.3] 莫詒隆、楊宙燕、粘逸尊，1999，『中空矩形橋柱耐震行為之研究』，國家地震工程研究中心，報告編號:NCREE-99-038。

[C5.4] 莫詒隆，1998，『中空鋼筋混凝土矩形橋柱之韌性、剪力強度與補強試驗』，國家地震工程研究中心，報告編號:NCREE-98-019。

[C5.5] 蔡益超、吳宣欣，1998，『中空鋼筋混凝土橋柱韌性、剪力強度與補強之理論分析(I)』，國家地震工程研究中心，報告編號:NCREE-98-017。

[C5.6] 蔡益超、劉紹魁，1999，『中空鋼筋混凝土橋柱韌性、剪力強度與補強之理論分析(II)』，國立台灣大學地震工程研究中心。

[C5.7] 蔡益超、賴彥魁，2000，『中空鋼筋混凝土橋柱韌性、剪力強度與補強之理論分析(III)』，國家地震工程研究中心，報告編號:NCREE-00-022。

[C5.8] 『混凝土工程設計規範與解說』，土木 401-92，中國土木水利工程學會，民國 91 年 12 月。

[C5.9] Priestley, M.J.N., Verma, R. and Xiao, Y., 1994, "Seismic Shear Strength of Reinforced Concrete Columns," *Journal of Structural Engineering*, ASCE, Vol. 120(8), pp. 2310-2329.

[C5.10] Aschheim, M., Moehle, J.P. and Werner, S.D., 1992, *Deformability of Concrete Columns*, Project report under contract No.59Q122, California Department of Transportation, Div. of structures, Sacramento, Calif., June.

[C5.11] Moehle, J. P., Sezen, H. and Elwood, K. J., 2000, "Response of reinforced concrete buildings lacking details for ductile responses," *Proceedings of international workshop on annual commemoration of Chi-Chi earthquake*,

Vol. 2, pp.26-40, Taipei.

[C5.12] 葉勇凱、莫詒隆、楊宙燕，2000，『中空鋼筋混凝土實尺寸橋柱之韌性剪力強度與補強試驗(II)』，國家地震工程研究中心。

[C6.1] 交通部，『公路橋梁設計規範』，民國 90 年。

[C6.2] 交通部高速鐵路工程局，『鐵路橋梁設計規範與解說(草案)之研訂』定稿報告，民國 91 年 12 月。

[C6.3] 日本道路協會，『道路橋示方書・V 耐震設計編』，2002 (日文)。

[C6.4] 財團法人鐵道總合技術研究所，『鐵道構造物等設計標準同解說-耐震設計』，1999(日文)。

[C6.5] AASHTO, 2002, Standard Specifications for Highway Bridges, 17th Ed., and 2003 Interims, American Association of State Highway and Transportation Officials, Washington, DC.

[C6.6] AASHTO, 2004, LRFD Bridge Design Specifications, 3nd Ed., American Association of State Highway and Transportation Officials, Washington, DC.

[C6.7] AISC, 1999, Load and Resistance Factor Design Specification for Structural Steel Buildings, 3rd Ed., American Institute of Steel Construction, Chicago, IL.

[C6.8] AISC, 2001, Manual of Steel Construction, Load and Resistance Factor Design, 3rd Ed., American Institute of Steel Construction, Chicago, IL.

[C6.9] AISC, 2002, Seismic Provisions for Structural Steel Buildings, Including Supplement No.1 and 2, American Institute of Steel Construction, Chicago, IL.

[C6.10] ATC-32, 1996, Improved Seismic Design Criteria for California Bridges: Provisional Recommendations, Applied Technology Council, Redwood City, CA.

[C6.11] Caltrans, 2003, Seismic Design Criteria, Version 1.3, California Department of Transportation, Sacramento, CA.

[C6.12] Caltrans, 2001, Guide Specifications for Seismic Design of Steel Bridges, First Edition, California Department of Transportation, Sacramento, CA.

[C6.13] Caltrans, 1999, Memo to Designers 20-1 Seismic Design Methodology, California Department of Transportation, Sacramento, CA.

[C6.14] Caltrans, 2002, Bridge Design Specifications, California Department of Transportation, Sacramento, CA.

[C6.15] NCHRP 12-49 (2001). Recommended LRFD Guidelines for the Seismic Design of Highway Bridges, Part I: Specifications and Part II: Commentary and Appendixes, NCHRP 12-49 Project Team, MCEER, State University of New York at Buffalo, Buffalo, NY.

[C6.16] Astaneh, A. A., Goel, S. C., and Hanson, R. D. (1986).

"Earthquake-resistant Design of Double Angle Bracings," Engineering Journal, AISC, 23(4).

[C6.17] Astaneh, A. A. (1998). "Seismic Behavior and Design of Gusset Plate," Steel Tips, Structural Steel Education Council, Moraga, CA.

[C6.18] Itani, A. M. (1997). "Cyclic Behavior of Richmond-San Rafael Tower Links," Report No. CCEER 99-4, Center for Civil Engineering Earthquake Research, University of Nevada, Reno, NV

[C6.19] Itani, A. M. and Sedarat, H. (2000). "Seismic Analysis and Design of the AISI LRFD Design Examples of Steel Highway Bridges," Report No. CEER 00-8, Center for Civil Engineering Earthquake Research, University of Nevada, Reno, NV.

[C6.20] Itani, A. M., Vesco, T. D. and Dietrich, A M. (1998). "Cyclic Behavior of As-Built Laced Members with End Gusset Plates on the San Francisco-Oakland Bay Bridge," Report No. CCEER 98-01, Center for Civil Engineering Earthquake Research, University of Nevada, Reno, NV.

[C6.21] PCI. (1999). PCI Design Handbook – Precast and Prestressed Concrete, Fifth Edition, Precast/Prestressed Concrete Institute, Chicago, IL.

[C6.22] Popov, E. P. and Tsai, K. C. (1989). "Performance of Large Seismic Steel Moment Connections under Cyclic Loads," Engrg. J., AISC, 26(2), pp. 51-60.

[C6.23] Uang, C. M., Tsai, K. C. and Bruneau M. (1999). "Chapter 39: Seismic Design of Steel Bridges," Bridge Engineering Handbook, Ed., Chen, W. F. and Duan, L., CRC Press, Boca Raton, FL.

[C6.24] Zahrai, S. M. and Bruneau, M. (1998). "Impact of Diaphragms on Seismic Responses of Straight Slab-on-Girder Steel Bridges," J. Struct. Engrg. 124(8), pp. 938-947.

[C6.25] Zahrai, S. M. and Bruneau, M. (1999). "Ductile End-Diaphragms for Seismic Retrofit of Slab-on-Girder Steel Bridges," J. Struct. Engrg. 125(1), pp. 71-80.

[C6.26] M. Bruneau, M. Sarraf, S.M. Zahrai, F. Alfawakhiri (2002). "Displacement-based energy dissipation systems for steel bridges diaphragms," Journal of Constructional Steel Research 58 pp. 801-817.

[C6.27] Megally, S. H., Silva P. F. and Seible F. (2002). "Seismic Response of Sacrificial Shear Keys in Bridge Abutments," Report No. SSRR-2001/23, University of California, San Diego, CA.

[C7.1] 蔡益超、張荻薇、黃震興、周功台、張國鎮、宋裕祺，1997，『公路橋梁耐震設計規範之補充研究』，交通部國道新建工程局。

[C7.2] 日本道路協會，『道路橋示方書・V 耐震設計編』，2002 (日文)。

[C7.3] 『建築物耐震設計規範與解說修正草案』，內政部建築技術審議委員會通過，民國九時二年八月二十九日。

[C7.4] Hall, J. F., Heaton, T. H., Halling M. W., and Wald D. J., 1995, “Near-source ground motion and its effects on flexible buildings,” Earthquake Spectra, Vol. 11, No. 4, pp. 569-605.

[C7.5] Liao, W.I., Loh, C.H. and Wan. S., 2000, “Responses of Isolated Bridges Subjected to Near-Fault Ground Motions Recorded in Chi-Chi Earthquake,” Proceedings of International Workshop on Annual Commemoration of Chi-Chi Earthquake, Vol. 2., Taipei.

[C7.6] 張奕文，2000，『鋼筋混凝土連續橋梁非線性動力分析』，台灣大學土木工程研究所碩士論文，羅俊雄教授指導。

[C7.7] Hwang, J.S., Chiou, J.M., Sheng, L.H. and Gates, J.H., 1996, “A Refined Model for Base-Isolated Bridges with Bi-Linear Hysteresis Characteristics,” Earthquake Spectra, Vol. 12(2), pp. 245-274.

[C8.1] 日本道路協會，『道路橋示方書・V 耐震設計編』，2002 (日文)。

[C8.2] Seed, H.B., Tokimatsu, K., Harder, L.F. and Chung, R.M., 1985, “The influence of SPT Procedures in Soil Liquefaction Resistance Evaluation,” *Journal of Geotechnical Engineering*, ASCE, Vol. 111, No. 12, 1425-1445.

[C8.3] 陳景文，1999，『台南主要經建區域之土壤液化潛能評估』，國家地震工程研究中心報告。

[C8.4] 陳正興、張森源、胡邵敏、周功台、鐘毓東，1998，『建築技術規則建築構造編－基礎構造設計規範（含解說）』，內政部建築研究所報告。

[C8.5] 黃俊鴻、陳正興，1998，『土壤液化評估規範之回顧與前瞻』，地工技術雜誌，第 70 期，43-54。

[C8.6] Tokimatsu, K. and Yoshimi, Y., 1983, “Empirical Correlation of Soil Liquefaction Based on SPT N-value and Fines Content,” Soils and Foundations, JSSMFE, Vol. 23, No. 4, 56-74.

[C8.7] Shibata, T. and Teparaksa, W., 1988, “Evaluation of Liquefaction Potentials of Soils Using Cone Penetration Tests,” *Soil and Foundations*, Vol. 28, No. 2, 49-60.

[C8.8] Okabe, S., 1924, “General Theory on Earth Pressure and Seismic Stability of Retaining Wall and Dam,”，土木学会誌，第 10 巻第 6 号，pp. 1277-1323

[C8.9] 宋裕祺、劉光晏、蘇進國、蔡益超、張國鎮，2004，”鋼筋混凝土柱側推分析之研究與探討”，中華民國建築學會-建築學報第 46 期，pp.47~65。